



VISION

PREMIUM PARTS


VISIONTRUCKGROUP.COM

AIR & BRAKE



VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPPBE 27157	30-2171	AIR POWER 3 IN 1 LINE 15 FEET W/O BOX	FULLY ABS COMPATIBLE, SPIRAL WRAPPED FOR CLEAN LOOK, SWIVEL END FITTINGS, COLD WEATHER KINK RESISTANT, LARGE, EASY GRIP HANDLES COLOR CODED FOR GLADHANDS, INCLUDES HANGER BRACKET MOUNTING ASSEMBLY FOR EASY SUSPENSION
VPPBE27127	30-2151	12 FT 3IN1 ELEC & AIR HOSE KIT	FULLY ABS COMPATIBLE, SPIRAL WRAPPED FOR CLEAN LOOK, SWIVEL END FITTINGS, COLD WEATHER KINK RESISTANT, LARGE, EASY GRIP HANDLES COLOR CODED FOR GLADHANDS, INCLUDES HANGER BRACKET MOUNTING ASSEMBLY FOR EASY SUSPENSION
VPP3092868	3092868	CABIN BLOW GUN KIT	INCLUDES TEE FITTING & NOZZLE ADAPTER, 11.75" LONG
VPP801538	801538BXW	ABS SENSOR	REPLACEMENT FOR BENDIX®, BODY TYPE: 90° 75"/1905MM, CONNECTOR TYPE: WHITE CANNON DIMENSIONS - 75/1905MM

VALVES




VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPP1576011	1576011	BRAKE VALVE (E-6)	REPLACEMENT FOR BENDIX E-6™, DUAL CIRCUIT VALVE DELIVERY PORTS (4): 3/8", SUPPLY PORTS (4): 3/8"
VPP85123221	85123221	DASH VALVE	INCLUDES KNOBS, DUAL PARK BRAKE VALVE
VPP85150276	85150276	QUICK RELEASE VALVE (QR-1C)	1/4" NPT SUPPLY & BALANCE, 3/8" DELIVERY NEW, NO CORE CHARGE
VPP21243502	21243502	TR-3 VALVE (25PSI/40PSI)	REPLACEMENT FOR BENDIX TR-3™, SUPPLY: 1/4", DELIVERY: 1/4", CONTROL: 1/8", MOUNTING HOLES: (2) 9/32", NOTE: COMMON CONTROL & SUPPLY PRESSURE, INLET OPENS AT 25 PSI DESCENDING PRESSURE & EXHAUST OPENS AT 40 PSI ASCENDING PRESSURE.

CAB & BODY



VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPP84720518	84720518	BRACKET SUPPORT	MATERIAL - STEEL
VPP82721541	82721541	BUMPER BRACKET	
VPP82728568	82728568	BUMPER CENTER PIECE	WORKS W/ OR W/O FOG LAMP
VPP82721510	82721510	BUMPER END	ORIENTATION - DRIVER - LH
VPP82721516	82721516	BUMPER END	ORIENTATION - PASSENGER - RH
VPP82721512	82721512	BUMPER END	ORIENTATION - PASSENGER - RH
VPP82741342	82741342	BUMPER END W/FOG LIGHT HOLE	ORIENTATION - PASSENGER - RH
VPP82741346	82741346	BUMPER END W/O FOG LIGHT HOLE	ORIENTATION - PASSENGER - RH
VPP20922589	20922589	CABLE DOOR LOCK	WORKS W/ 21505893 & 21505894
VPP82741337	82741337	CENTER BUMPER	
VPP21505893	21505893	DOOR LATCH LH	ORIENTATION - DRIVER - LH
VPP82437425	82437425	FAIRING RETAINER	
VPP23059030	23059030	FILLER CAP	
VPP82793456	82793456	FOG LAMP LH	INCLUDES DAY TIME RUNNING LAMPS, 12 VOLT, 2 BULB ORIENTATION - DRIVER - LH
VPP82793460	82793460	FOG LIGHT LH	SMALL UNIT, 12 VOLT/55 WATT 1 BULB, ORIENTATION - DRIVER - LH

CAB & BODY



VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPP20770657	20770657	FUEL CAP	3", NON-LOCKING, 8" RETAINING CHAIN NON-VENTED, SOLID MATERIAL : ALUMINUM DIMENSIONS - ACROSS FILLER NECK: 3"
VPP20498998	20498998	HOOD LATCH	ORIENTATION - LH/RH
VPP20565618	20565618	HOOD LOCK LH	ORIENTATION - DRIVER - LH
VPP20565619	20565619	HOOD LOCK RH	ORIENTATION - PASSENGER - RH
VPP82601061	20433078	HOOD RELEASE CABLE VOLVO	HOOD CABLE , LENGTH: 97.6" CABLE MATERIAL: STEEL CABLE HOUSING MATERIAL: PLASTIC
VPP20725387	20725387	HOOD SHOCK	COLLAPSED 14.75" EXTENDED 23.5", DIAMETER 0.843" COMPRESSED 14.50"
VPP82713432	82713432	HOOD SHOCK	DIAMETER: 0.850", COLLAPSED: 8.00", EXTENDED: 10.50"
VPP21836340	21836340	MACK HEADLAMP ASSY LH	ORIENTATION - DRIVER - LH
VPP21836341	21836341	MACK HEADLAMP ASSY RH	ORIENTATION - PASSENGER - RH
VPP20414610	20414610	MARKER LIGHT-SUNVISOR	12 VOLT, DOT APPROVED
VPP20562262	20562262	QUARTER FENDER KIT	INCLUDES LEFT & RIGHT FENDERS & CLAMP DIMENSIONS: 24", HIGH IMPACT PLASTIC
VPPACX40200	ACX40200	REAR AXLE COVER SET - CHROME	REAR HUB COVER SET, 33MM MULTIPLE REAR APPLICATIONS CHROME SCREW ON (THREADED ID ON THE CAP) W/O LOCKING MECHANISM ON THE OD OF THE PLASTIC CAP. MATERIAL - CHROME
VPP21349387	21349387	RETAINER	FAIRING RETAINING CLIPS
VPP20519037	20519037	SURGE TANK ASSEMBLY	POSITION : FRONT, MATERIAL: PLASTIC COLOR: CLEAR, MOUNT HOLE QUANTITY : 3

CAB & BODY



VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPP22141241	22141241	VNL STYLE HEADLAMP ASSY	SLIGHT VISUAL DIFFERENCE FROM OEM, RECOMMENDED TO REPLACE IN PAIRS, DOT / SAE COMPLIANT, LED PLUG AND PLAY ASSEMBLY, NO PROGRAMMING REQUIRED MADE OF IMPACT RESISTANT POLYCARBONATE LENS ORIENTATION - DRIVER - LH
VPP22141268	22141268	VNL STYLE HEADLAMP ASSY	SLIGHT VISUAL DIFFERENCE FROM OEM, RECOMMENDED TO REPLACE IN PAIRS, DOT / SAE COMPLIANT, LED PLUG AND PLAY ASSEMBLY, NO PROGRAMMING REQUIRED MADE OF IMPACT RESISTANT POLYCARBONATE LENS ORIENTATION - PASSENGER - RH
VPP84724159	84724159	VOLVO GRILL WITH SCREEN (VNL)	
VPP23760339	23760339	VOLVO HOOD MARKER LAMP - LH	VNL LAMP LED 12V DOT, LH
VPP23760347	23760347	VOLVO HOOD MARKER LAMP - RH	VNL LAMP LED 12V, RH
VPP20895320	20895320	VOLVO SIDE TURN SIGNAL LAMP	
VPP85111394	85111394	WIPER ARM	CAN BE USED ON EITHER SIDE, ORIENTATION - LH/RH
VPP85150366	85150366	WIPER MOTOR	MOTOR #: E-108-009, ASSEMBLY #: E-008-149 MANUFACTURING #: 21000862
VPP1070123	1070123	WIPER NOZZLE W/HOSE & FITTING	INCLUDES 4MM HOSE & FITTING

DRIVELINE



VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPP210661-1XSA	210661-1XSA	SELF-ALIGNING CENTER BEARING	DIMENSIONS - BEARING I.D (MAX/MIN):2.3622 / 2.3616 HEIGHT:3.38, BEARING WIDTH: 1.41 MOUNTING HOLES (CENTER-CENTER): 8.63 DIMENSIONS - BEARING I.D (MAX/MIN):2.3622 / 2.3616 HEIGHT:3.38, BEARING WIDTH: 1.41 MOUNTING HOLES (CENTER-CENTER): 8.63
VPP20512915	20512915	PILOT BEARING HIGH TEMP	14 & 15 1/2 CLUTCHES, W/ VITON SHIELDS DIMENSIONS - BORE: 1.1811", OUTSIDE DIAMETER - 2.8346"
VPP2104-5103X	2104-5103X	UNIVERSAL JOINT	GREASABLE: YES, BEARING PLATE DIMENSION: 1.500" BEARING CAP DIAMETER: 0.938" CROSS TRUNNION DIAMETER: 0.549" MANUFACTURED & TESTED TO OE SPECIFICATIONS STEEL INTERNAL SEAL FOR IMPROVED GREASE RETENTION RESULTING IN LONGER LIFE, BEARING TYPE - ISR DIMENSIONS - BEARING PLATE DIMENSION: 1.500" BEARING CAP DIAMETER: 0.938"
VPP85126391	85126391	REPLACEMENT FOR SPL250X® U-JT.	GREASABLE: YES, BEARING PLATE DIMENSION: 6.417" BEARING CAP DIAMETER: 2.362" MANUFACTURED & TESTED TO OE SPECIFICATIONS STEEL INTERNAL SEAL FOR IMPROVED GREASE RETENTION RESULTING IN LONGER LIFE, STRAP KIT SOLD SEPARATELY DOES NOT INCLUDE SPRING TABS, BEARING TYPE - SPRTAB DIMENSIONS - BEARING PLATE DIMENSION: 6.417" BEARING CAP DIAMETER: 2.362"

DRIVETRAIN


VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPPMW971	MW971	FRONT AXLE COVER SET - CHROME	33MM, ABS PLASTIC, CENTER COVER & 10 LUG COVERS, CHROME FINISH /FRONT SET ONLY SCREW ON (THREADED ID ON THE CAP) W/ A LOCKING MECHANISM ON THE OD OF THE PLASTIC CAP. MATERIAL - CHROME

ELECTRICAL



VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPP22722447	22722447	BATTERY DISCONNECT SWITCH	
VPP3172173	3172173	TURN SIGNAL SWITCH (VOLVO)	
VPP20797838	20797838	TURN SIGNAL SWITCH	
VPP20953575	20953575	HEADLAMP SWITCH	DIMENSIONS - 5.03" X 2.84" X 2.76"
VPP21107829	21107829	BATTERY CABLE	NEGATIVE BLACK
VPP21107828	21107828	BATTERY CABLE	POSITIVE RED
VPP84726252	84726252	MARKER LAMP	SUNVISOR MOUNTED, LED HOUSING : PLASTIC, LENS COLOR : CLEAR LENS MATERIAL : PLASTIC, VOLTAGE : 12V PLUG/CONNECTOR TYPE: MALE PIN, AUXILIARY

ENGINE



VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPP20499469	20499469	VOLVO MOTOR MOUNT	DIMENSIONS - 10 X 8 X 5
VPP21504560	21504560	CHARGE AIR COOLER	MATERIAL - ALUMINUM & ALUMINUM CORE TYPE: - TUBE & FIN DIMENSIONS - 30.1875" X 32.50" X 2.375" INLET/OUTLET - 4.0"/4.0"
VPP20504406	20504406	CLAMP	DIMENSIONS - 2.32"
VPP21454379	23669027	CONTINENTAL ELITE TENSIONER ASSEMBLY	MATERIAL: STEEL, BEARING BORE I.D.: 30MM PULLEY O.D.: 86.5MM, PULLEY WIDTH: 40MM MATERIAL CONTACT SURFACE: SMOOTH/BACKSIDE MATERIAL - STEEL, OUTSIDE DIAMETER - 86.5MM WIDTH - 40MM
VPP21454379	DC089477	DAYCO TENSIONER	MATERIAL: STEEL, BEARING BORE I.D.: 30MM PULLEY O.D.: 86.5MM, PULLEY WIDTH: 40MM MATERIAL CONTACT SURFACE: SMOOTH/BACKSIDE, MATERIAL - STEEL, OUTSIDE DIAMETER - 86.5MM WIDTH - 40MM
VPP22452551	23185531	DOSING INJECTION MODULE AHI MACK-VOLVO	HEAVY DUTY HYDROCARBON INJECTOR DRIVER MODULE FITS AND FUNCTIONS LIKE ORIGINAL HYDROCARBON INJECTOR DRIVER MODULE FOR EASY INSTALLATION AND PROPER PERFORMANCE, FAILURE MODE: INTERNAL FUEL AND AIR VALVES CLOG, ILLUMINATION OF CHECK ENGINE LIGHT AND VEHICLE WILL NOT START REGENERATION CYCLE, COMES READY-TO-INSTALL CONSTRUCTED OF HEAVY DUTY ALUMINUM QUALITY MADE PRODUCT IF YOUR HYDROCARBON INJECTOR MODULE FOULED OR STICKING, IT IS TIME FOR A REPLACEMENT. THIS HYDROCARBON INJECTOR DRIVER MODULE IS CONSTRUCTED OF 100% NEW MATERIALS AND HAS UNDERGONE EXTENSIVE TESTING, MAKING IT THE IDEAL REPLACEMENT.

ENGINE



VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPP85124753	85124753	DPF CLAMP AND GASKET KIT	DIESEL PARTICULATE FILTER, CONTAINS (2) 21212520 DPF CLAMPS AND (2) 21212522 DPF GASKETS
VPP23108406	23108406	DPF CLAMP AND GASKET SET	EXHAUST, DIMENSIONS - 16X16X7
VPP21376801	21376801	DPF SEALING PLATE	DOSING VALVE, EXHAUST SEALING GASKET WAS DESIGNED TO CONTROL EMISSIONS BY COLLECTING & TRAPPING THE PARTICULATE MATTER INSIDE ITS INNER FILTER
VPP20504408	20504408	EGR CLAMP	MIN IN: 2.75, MIN MM: 69.85, MAX IN: 3", MAX MM: 76.2 DIMENSIONS - 2.75" - 3", MATERIAL - STAINLESS STEEL
VPP20850815	20850815	EGR GASKET	VOLVO D ENGINE MODELS
VPP85124530	85124530	EGR HOSE KIT	CONSISTS OF: 2 CLAMPS & 1 HOSE
VPP20560284	20560284	FUEL TANK VENT	F. F. SINGLE BARD, 3/8" NPT
VPP20841816	20841816	GASKET EGR	VOLVO D13 ENGINE MODELS
VPP20840154	20840154	HOSE CLAMP	MIN IN: 2.36", MIN MM: 60MM MAX IN: 3.14", MAX MM: 80MM DIMENSIONS - 60MM - 80MM MATERIAL - STAINLESS STEEL
VPP8397917	8397917	LOCK ROD	TENSIONING SCREW WORKS W/ BATTERY BOX
VPP23-12201-250	23-12201-250	T-BOLT CLAMP 2.75 TO 3.06"	MIN IN: 2.69", MIN MM: 68.32MM MAX IN: 3.00", MAX MM: 76.2MM, DIMENSIONS - 3", MATERIAL - STAINLESS STEEL
VPP21007187	21007187	TURBO-DIFFUSER PIPE GASKET	VOLVO D13 ENGINE MODELS

EXHAUST



VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPP20457104	20457104	EXHAUST PIPE	ID: 5", OD: 5", LENGTH: 84", MATERIAL - ALUMINIZED
VPP23789373	23789373	FLEX PIPE	TURBO FLEX PIPE, METAL ID: 3.25", LENGTH : 17.5", DIMENSIONS - 24 x 5.2 x 6.75 IN
VPP21095721	21095721	EXHAUST MANIFOLD GASKET	O.D.: 4.75", I.D.: 4" WORKS W/ FLEX PIPE 22307701
VPP20592783	20592783	CLAMP	DIAMETER: 4.25" CLAMP FOR CAC PIPING ON VOLVO AND MACK TRUCKS
VPP21545619	21545619	V-BAND CLAMP	DIMENSIONS - 5 X 5 X 2
VPP20755169	20755169	V-BAND CLAMP	FITS EGR TUBE (HOT SIDE), DIMENSIONS - 3.73" MATERIAL - STAINLESS STEEL
VPP21021852	21021852	V-BAND CLAMP	DIMENSIONS: 4", FLANGED, MATERIAL - STAINLESS STEEL
VPP21060426	21060426	V-BAND CLAMP	DIMENSIONS: 4.75", MATERIAL - STAINLESS STEEL
VPP21021850	21021850	V BAND CLAMP	DIMENSIONS: 5", FLANGED, MATERIAL - STAINLESS STEEL
VPP85137462	85137462	HOSE CLAMP	HOSE CLAMP, T-BOLT. THIS ITEM REPLACES VOLVO 1675068, 1675069 DIMENSIONS: MIN IN: 3.50" IN MAX IN: 3.81"

HVAC



VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPP20721587	20721587	A/C COMPRESSOR 7H15 TYPE	8 GROOVE, VOLTAGE: 12, SANDEN STYLE 4326 CLUTCH DIAMETER: 7" (180 MM) DIRECT MOUNT, 2 WIRE HARNESS HEAD TYPE: WV, REFRIGERANT TYPE: R134A
VPP85120276	85120276	BLOWER MOTOR	12 VOLT, 2 WIRE, ASSEMBLY MOUNT DOUBLE SHAFT, DIMENSIONS - 12.25" X 4 3/8" SHAFT: 5/16"
VPP3946686	3946686	BLOWER MOTOR	SINGLE SPEED, 12 VOLT, ROTATES CCW, 253 CFM DIMENSIONS - 12 1/4" X 3 1/8" X 4 1/2"
VPP20550690	20550690	CAC HOSE	INSIDE DIAMETER: 3.5", LENGTH: 6.375", COLD AIR RETURN
VPP20435801	20435801	CABIN AIR FILTER	PLEATED FRESH AIR FILTER DIMENSIONS - 9 1/4" X 1" X 12"
VPP22314813	22314813	CONDENSER	RADIATOR MOUNT, INLET: PAD, OUTLET: PAD TYPE: PARALLEL FLOW, REFRIGERANT TYPE: R12/R134A O-RING #1: 16-4284, O-RING #2: 16-4284 DIMENSIONS - 16 1/4" X 31 1/2" X 7/8"
VPP22386057	22386057	CONDENSER	TYPE: PARALLEL FLOW SIZE: 16.25" (H) X 33.25" (W) X 0.75" (D) DIRECT AFTER-MARKET REPLACEMENT FOR OE#: 22386057 FITTING TYPE: PAD"

POWER STEERING



VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPP85128559	85128559	DRAG LINK	APPLICATION: VOLVO, TYPE: ONE REPLACEABLE END ENDS: IDENTICAL ENDS LENGTH CENTER TO CENTER: 33.000" SHAFT DIAMETER: 1.260" SHAFT SIDE THREAD: 1 1/8" - 12 (RH) TAPER MINOR DIAMETER: 0.941" TAPER MAJOR DIAMETER: 1.140" TAPER LENGTH: 1.190", TAPER PIN THREAD: M20-1.5 STUD CENTER TO END - 28.19"
VPP3948583	3948583	INPUT SHAFT SEAL KIT	WORKS W/ TAS40, 55, 65 & 80 STEERING GEARS

RADIATOR/CAC

VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPP21846997	23059017	COOLANT RESERVOIR VOLVO	POSITION : FRONT, MATERIAL: PLASTIC COLOR: CLEAR, MOUNT HOLE QUANTITY : 4 INCLUDES: FILLER CAP (20968839), PRESSURE CAP (21314359) , COOLANT SENSOR (20900982) & CLAMP (20915849)

SUSPENSION



VPP#	REPLACES	DESCRIPTION	PRODUCT INFORMATION
VPP23214277	23214277	SUSPENSION TORSION SPRING	
VPP22379948	22379948	LEVELING VALVE ROD	
VPP20548421	20548421	SPRING SHACKLE	
VPP20560239	20560239	U-BOLT	THREAD SIZE: M20-1.5, PHOS COATED
VPP20703083	20703083	WEAR PLATE	WORKS W/ HENDRICKSON H.A.S. AIR RIDE

NOTES

[illegible]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



VISION

PREMIUM PARTS

LOCATIONS

VISION CAMBRIDGE

1220 FRANKLIN BOULEVARD
CAMBRIDGE, ON N1R 8B7,
PHONE: (519) 653-7161
TOLL-FREE: 1-833-468-6884

VISION BRAMPTON

300 STEELWELL ROAD
BRAMPTON, ON L6T 5T3,
PHONE: (905) 459-6409
TOLL-FREE: 1-833-468-6884

VISION BODY SHOP

750 INDUSTRIAL ROAD
CAMBRIDGE, ON N3H 4W1,
PHONE: (519) 653-2886
TOLL-FREE: 1-833-468-6884

VISION ETOBICOKE

415 EVANS AVENUE
ETOBICOKE, ON M8W 0B3,
PHONE: (416) 626-3555
TOLL-FREE: 1-833-468-6884

VISION STONEY CREEK

330 SOUTH SERVICE ROAD
STONEY CREEK, ON L8E 2R4,
PHONE: (905) 561-4565
TOLL-FREE: 1-833-468-6884

VISION LONDON

1445 SISE ROAD
LONDON, ON N6N 1E1,
PHONE: (519) 649-1771
TOLL-FREE: 1-833-468-6884

VISION PARTS

DISTRIBUTION CENTRE
1769 BISHOP STREET NORTH
CAMBRIDGE, ON N1T 1N5,
PHONE: (519) 624-9006
TOLL-FREE: 1-833-468-6884

VISIONTRUCKGROUP.COM